


Jackall 8000 Series Veratile-Rugged-Powerful



The most important feature of this versatile tool is the level of operational safety!!




Jackall 8000 Series - Designed for Safety!

65 years of experience has taught us to use steel components where impact and wear strength are needed. Cast components are used where strength and rigidity are essential to assure long life and trouble free operation.

The patented "safety Link" pitman mechanism used in the "Jackall 8000" is manufactured of a specific steel alloy which is cut and formed into it's own unique geometry. This pitman will prevent abuse and misuse of the Jackall.

When used over its rated capacity the safety link will yield and the load will not be lifted. The Jackall customer can simply replace this safety link to restore the jack to full working condition once again.



- Rugged mechanism moves load in a smooth and easy way and is easily raised up to load.
- Made with an alloy steel beam which is hot roll-formed for strength. its holes accommodate attachment of clevis pins, chains, bolts, ropes, etc...

Hollow, special high tensile steel handle accepts pipe/bar for additional leverage and locks against beam for convenient storage.

•4" lifting foot and self-adjusting 27.5 sq. inch base, heavily ribbed for strength and load stability.

- Model Number 1020 36" length →
- Model Number 1120 48" length
- Model Number 1810 48" length

Accessories and Maintenance Kits



MODEL 1340 LOG SPLITTER

 8000 lbs. of pure Jackali[®] splitting force at your fingertips.



- Split while protected from the elements.
- · No head room required.
- Complete with brackets for optional mounting.
- Easy to attach anywhere for added stability.



MODEL 1333 MAINTENANCE KIT

Keep your Jackall* Jack in peak working order...

The "Jackall" Maintenance Kit" includes everything necessary to restore and renew your jack

(2) lifting pins



(2) lifting pin dowels



(2) lifting pin springs



(1) reversing switch



(1) reversing switch spring

(1) reversing lever










MODEL 1323 4000 LB. CAPACITY **QUICK CLAMP & LIFT ATTACHMENT**


- Use your Jackall* Jack as a glue clamp. welding setups, concrete form clamps, to straighten frames, etc.
- Clamp can be used as extra support when hoisting.
- 4000 lb, capacity.

SPENDING JACK YATH




















Please send any questions or comments:

